









- 1210-1225.
- [9] 王雅明,金海,许卓. 心脏康复的最新进展[J]. 中国老年学杂志,2016,36:2021-2023.
- [10] TAYLOR R S, SAGAR V A, DAVIES E J, BRISCOE S, COATS A J, DALAL H, et al. Exercise-based rehabilitation for heart failure[J/CD]. *Cochrane Database Syst Rev*, 2014(4): CD003331. doi: 10.1002/14651858.CD003331.pub4.
- [11] PIEPOLI M F, DAVOS C, FRANCIS D P, COATS A J; ExTraMATCH Collaborative. Exercise training meta-analysis of trials in patients with chronic heart failure (ExTraMATCH)[J]. *BMJ*, 2004, 328: 189.
- [12] HAMBRECHT R, GIELEN S, LINKE A, FIEHN E, YU J, WALTHER C, et al. Effects of exercise training on left ventricular function and peripheral resistance in patients with chronic heart failure: a randomized trial[J]. *JAMA*, 2000, 283: 3095-3101.
- [13] CHEN Y M, LI Z B, ZHU M, CAO Y M. Effects of exercise training on left ventricular remodeling in heart failure patients: an updated meta-analysis of randomised controlled trials[J]. *Int J Clin Pract*, 2012, 66: 782-791.
- [14] KINUGAWA T, KATO M, OGINO K, IGAWA O, HISATOME I, SHIGEMASA C, et al. Neurohormonal determinants of peak oxygen uptake in patients with chronic heart failure[J]. *Jpn Heart J*, 2003, 44: 725-734.
- [15] MAUGERI F S, CAMPANA M, FERRARI R, GIORDANO A, SCALVINI S, VOLTERRANI M, et al. Experience from controlled trials of physical training in chronic heart failure. Protocol and patient factors in effectiveness in the improvement in exercise tolerance[J]. *Eur Heart J*, 1998, 19: 466-475.
- [16] KETEYIAN S J, PIÑA I L, HIBNER B A, FLEG J L. Clinical role of exercise training in the management of patients with chronic heart failure[J]. *J Cardiopulm Rehabil Prev*, 2010, 30: 67-76.
- [17] O'CONNOR C M, WHELLAN D J, LEE K L, KETEYIAN S J, COOPER L S, ELLIS S J, et al; HF-ACTION Investigators. Efficacy and safety of exercise training in patients with chronic heart failure: HF-ACTION randomized controlled trial[J]. *JAMA*, 2009, 301: 1439-1450.
- [18] CRIMI E, IGNARRO L J, CACCIATORE F, NAPOLI C. Mechanisms by which exercise training benefits patients with heart failure[J]. *Nat Rev Cardiol*, 2009, 6: 292-300.
- [19] MAIORANA A J, NAYLOR L H, EXTERKATE A, SWART A, THIJSEN D H, LAM K, et al. The impact of exercise training on conduit artery wall thickness and remodeling in chronic heart failure patients[J]. *Hypertension*, 2011, 57: 56-62.
- [20] 郭兰,李梅. 慢性心力衰竭康复治疗的研究进展[J]. 岭南心血管病杂志,2013,19:381-384.
- [21] MAMMI C, LA SALA A, VOLTERRANI M, GATTA L, ANTELM I A, FERACO A, et al. Exercise training reduces serum capacity to induce endothelial cell death in patients with chronic heart failure[J]. *Eur J Heart Fail*, 2011, 13: 642-650.
- [22] KETEYIAN S J. Exercise training in congestive heart failure: risks and benefits[J]. *Prog Cardiovasc Dis*, 2011, 53: 419-428.
- [23] SERRANO J A, HOLTHE H. Development and trial of ePoint.telemed—an open web-based platform for home monitoring of chronic heart failure patients[J]. *Stud Health Technol Inform*, 2015, 210: 311-315.
- [24] 苗书航,顾翔. 慢性心力衰竭患者远程监测与管理[J]. 临床心血管杂志,2016,32:328-330.
- [25] LIN M H, YUAN W L, HUANG T C, ZHANG H F, MAI J T, WANG J F. Clinical effectiveness of telemedicine for chronic heart failure: a systematic review and meta-analysis[J]. *J Investig Med*, 2017, 65: 899-911.
- [26] KLERSY C, DE SILVESTRI A, GABUTTI G, REGOLI F, AURICCHIO A. A meta-analysis of remote monitoring of heart failure patients[J]. *J Am Coll Cardiol*, 2009, 54: 1683-1694.
- [27] IŞSA V S, AMARAL A F, CRUZ F D, AYUB-FERREIRA S M, GUIMARÃES G V, CHIZZOLA P R, et al. Glycemia and prognosis of patients with chronic heart failure—subanalysis of the Long-term Prospective Randomized Controlled Study Using Repetitive Education at Six-Month Intervals and Monitoring for Adherence in Heart Failure Outpatients (REMADHE) trial[J]. *Am Heart J*, 2010, 159: 90-97.
- [28] FRAICHE A M, EAPEN Z J, McCLELLAN M B. Moving beyond the walls of the clinic: opportunities and challenges to the future of telehealth in heart failure[J]. *JACC Heart Fail*, 2017, 4: 297-304.
- [29] PIOTROWICZ E, PIOTROWICZ R. Telemonitoring in heart failure rehabilitation[J]. *Eur Cardiol*, 2011, 7: 66-69.
- [30] PIOTROWICZ E. The management of patients with chronic heart failure: the growing role of e-Health[J]. *Expert Rev Med Devices*, 2017, 14: 271-277.
- [31] PIOTROWICZ E, BARANOWSKI R, BILINSKA M, STEPNOWSKA M, PIOTROWSKA M, WÓJCIK A, et al. A new model of home-based telemonitored cardiac rehabilitation in patients with heart failure: effectiveness, quality of life, and adherence[J]. *Eur J Heart Fail*, 2010, 12: 164-171.
- [32] CLARK R A, CONWAY A, POULSEN V, KEECH W, TIRIMACCO R, TIDEMAN P. Alternative models of cardiac rehabilitation: a systematic review[J]. *Eur J Prev Cardiol*, 2015, 22: 35-74.
- [33] 中国康复医学会心血管病专业委员会,中国老年学学会心脑血管病专业委员会. 慢性稳定性心力衰竭运动康复中国专家共识[J]. 中华心血管病杂志,2014,42:714-720.
- [34] 苏勇林,何成奇. 四川省康复医学教育发展现状及对策[J]. 华西医学,2014,29:141-144.
- [35] 苏勇林,郭华,卢景康,宁梦,何成奇. 四川省康复医学学科现状调查及发展对策[J]. 四川医学,2015,36:1572-1576.