









- worldwide burden but a relatively neglected frontier [J]. *Stroke*, 2008, 39: 2396-2399.
- [2] BANG O Y. Intracranial atherosclerosis: current understanding and perspectives [J]. *J Stroke*, 2014, 16: 27-35.
- [3] SHIN D H, LEE P H, BANG O Y. Mechanisms of recurrence in subtypes of ischemic stroke: a hospital-based follow-up study [J]. *Arch Neurol*, 2005, 62: 1232-1237.
- [4] RYOO S, PARK J H, KIM S J, KIM G M, CHUNG C S, LEE K H, et al. Branch occlusive disease: clinical and magnetic resonance angiography findings [J]. *Neurology*, 2012, 78: 888-896.
- [5] RYOO S, CHA J, KIM S J, CHOI J W, KI C S, KIM K H, et al. High-resolution magnetic resonance wall imaging findings of Moyamoya disease [J]. *Stroke*, 2014, 45: 2457-2460.
- [6] AHN S H, LEE J, KIM Y J, KWON S U, LEE D, JUNG S C, et al. Isolated MCA disease in patients without significant atherosclerotic risk factors: a high-resolution magnetic resonance imaging study [J]. *Stroke*, 2015, 46: 697-703.
- [7] SCHOENHAGEN P, ZIADA K M, KAPADIA S R, CROWE T D, NISSEN S E, TUZCU E M. Extent and direction of arterial remodeling in stable versus unstable coronary syndromes [J]. *Circulation*, 2000, 101: 598-603.
- [8] MA N, JIANG W J, LOU X, MA L, DU B, CAI J F, et al. Arterial remodeling of advanced basilar atherosclerosis: a 3-tesla MRI study [J]. *Neurology*, 2010, 75: 253-258.
- [9] MOSSA-BASHA M, HWANG W D, DE HAVENON A, HIPPE D, BALU N, BECKER K J, et al. Multicontrast high-resolution vessel wall magnetic resonance imaging and its value in differentiating intracranial vasculopathic processes [J]. *Stroke*, 2015, 46: 1567-1573.
- [10] BODLE J D, FELDMANN E, SWARTZ R H, RUMBOLDT Z, BROWN T, TURAN T N. High-resolution magnetic resonance imaging: an emerging tool for evaluating intracranial arterial disease [J]. *Stroke*, 2013, 44: 287-292.
- [11] RYOO S, LEE M J, CHA J, JEON P, BANG O Y. Differential vascular pathophysiologic types of intracranial atherosclerotic stroke: a high-resolution wall magnetic resonance imaging study [J]. *Stroke*, 2015, 46: 2815-2821.
- [12] DIELEMAN N, VAN DER KOLK A G, ZWANENBURG J J, HARTEVELD A A, BIESELS G J, LUIJTEN P R, et al. Imaging intracranial vessel wall pathology with magnetic resonance imaging: current prospects and future directions [J]. *Circulation*, 2014, 130: 192-201.
- [13] RYU C W, JAHN G H, SHIN H S. Gadolinium enhancement of atherosclerotic plaque in the middle cerebral artery: relation to symptoms and degree of stenosis [J]. *AJNR Am J Neuroradiol*, 2014, 35: 2306-2310.
- [14] MIAO C, CHEN S, MACEDO R, LAI S, LIU K, LI D, et al. Positive remodeling of the coronary arteries detected by magnetic resonance imaging in an asymptomatic population: MESA (Multi-Ethnic Study of Atherosclerosis) [J]. *J Am Coll Cardiol*, 2009, 53: 1708-1715.
- [15] KUME T, OKURA H, KAWAMOTO T, AKASAKA T, TOYOTA E, WATANABE N, et al. Relationship between coronary remodeling and plaque characterization in patients without clinical evidence of coronary artery disease [J]. *Atherosclerosis*, 2008, 197: 799-805.
- [16] SKARPATHIOTAKIS M, MANDELL D M, SWARTZ R H, TOMLINSON G, MIKULIS D J. Intracranial atherosclerotic plaque enhancement in patients with ischemic stroke [J]. *AJNR Am J Neuroradiol*, 2013, 34: 299-304.
- [17] BANG O Y, OVBIAGELE B, KIM J S. Evaluation of cryptogenic stroke with advanced diagnostic techniques [J]. *Stroke*, 2014, 45: 1186-1194.