







- 2006, 5: 501-512.
- [14] KELLY P J, FURIE K L, KISTLER J P, BARRON M, PICARD E H, MANDELL R, et al. Stroke in young patients with hyperhomocysteinemia due to cystathionine beta-synthase deficiency[J]. *Neurology*, 2003, 60: 275-279.
- [15] JEFFS B, CLARK J S, ANDERSON N H, GRATTON J, BROSNAN M J, GAUGUIER D, et al. Sensitivity to cerebral ischaemic insult in a rat model of stroke is determined by a single genetic locus [J]. *Nat Genet*, 1997, 16: 364-367.
- [16] FLOSSMANN E, SCHULZ U G, ROTHWELL P M. Systematic review of methods and results of studies of the genetic epidemiology of ischemic stroke [J]. *Stroke*, 2004, 35: 212-227.
- [17] BEVAN S, TRAYLOR M, ADIB-SAMII P, MALIK R, PAUL N L, JACKSON C, et al. Genetic heritability of ischemic stroke and the contribution of previously reported candidate gene and genomewide associations[J]. *Stroke*, 2012, 43: 3161-3167.
- [18] TRAYLOR M, FARRALL M, HOLLIDAY E G, SUDLOW C, HOPEWELL J C, CHENG Y C, et al. Genetic risk factors for ischaemic stroke and its subtypes (the METASTROKE collaboration): a meta-analysis of genome-wide association studies[J]. *Lancet Neurol*, 2012, 11: 951-962.
- [19] International Stroke Genetics Consortium (ISGC); Wellcome Trust Case Control Consortium 2 (WTCCC2); BELLENGUEZ C, BEVAN S, GSCHWENDTNER A, SPENCER C C, BURGESS A I, PIRINEN M, et al. Genome-wide association study identifies a variant in HDAC9 associated with large vessel ischemic stroke[J]. *Nat Genet*, 2012, 44: 328-333.
- [20] KILARSKI L L, ACHTERBERG S, DEVAN W J, TRAYLOR M, MALIK R, LINDGREN A, et al. Meta-analysis in more than 17,900 cases of ischemic stroke reveals a novel association at 12q24.12 [J]. *Neurology*, 2014, 83: 678-685.
- [21] FEDERICO A, DI DONATO I, BIANCHI S, DI PALMA C, TAGLIA I, DOTTI M T. Hereditary cerebral small vessel diseases: a review[J]. *J Neurol Sci*, 2012, 322(1/2): 25-30.
- [22] WARDLAW J M, SMITH E E, BIESELS G J, CORDONNIER C, FAZEKAS F, FRAYNE R, et al. Neuroimaging standards for research into small vessel disease and its contribution to ageing and neurodegeneration[J]. *Lancet Neurol*, 2013, 12: 822-838.
- [23] MALIK R, BEVAN S, NALLS M A, HOLLIDAY E G, DEVAN W J, CHENG Y C, et al. Multilocus genetic risk score associates with ischemic stroke in case-control and prospective cohort studies[J]. *Stroke*, 2014, 45: 394-402.
- [24] BENTLEY P, PECK G, SMEETH L, WHITTAKER J, SHARMA P. Causal relationship of susceptibility genes to ischemic stroke: comparison to ischemic heart disease and biochemical determinants [J/OL]. *PLoS One*, 2010, 5: e9136. doi: 10.1371/journal.pone.0009136
- [25] CASAS J P, HINGORANI A D, BAUTISTA L E, SHARMA P. Meta-analysis of genetic studies in ischemic stroke: thirty-two genes involving approximately 18,000 cases and 58,000 controls[J]. *Arch Neurol*, 2004, 61: 1652-1661.
- [26] FURIE B. Do pharmacogenetics have a role in the dosing of vitamin K antagonists [J]. *N Engl J Med*, 2013, 369: 2345-2346.
- [27] FERNÁNDEZ-CADENAS I, DEL RÍO-ESPINOLA A, GIRALT D, DOMINGUES-MONTANARI S, QUIROGA A, MENDIOROZ M, et al. *IL1B* and *VWF* variants are associated with fibrinolytic early recanalization in patients with ischemic stroke [J]. *Stroke*, 2012, 43: 2659-2665.
- [28] DEL RIO-ESPINOLA A, FERNANDEZ-CADENAS I, GIRALT D, QUIROGA A, GUTIERREZ-AGULLO M, QUINTANA M, et al. A predictive clinical-genetic model of tissue plasminogen activator response in acute ischemic stroke [J]. *Ann Neurol*, 2012, 72: 716-729.
- [29] PARÉ G, ERÍKSSON N, LEHR T, CONNOLLY S, EIKELBOOM J, EZEKOWITZ M D, et al. Genetic determinants of dabigatran plasma levels and their relation to bleeding[J]. *Circulation*, 2013, 127: 1404-1412.
- [30] ANDERSON C D, BIFFI A, GREENBERG S M, ROSAND J. Personalized approaches to clopidogrel therapy: are we there yet? [J]. *Stroke*, 2010, 41: 2997-3002.
- [31] CHAN N C, EIKELBOOM J W, GINSBERG J S, LAUW M N, VANASSCHE T, WEITZ J I, et al. Role of phenotypic and genetic testing in managing clopidogrel therapy[J]. *Blood*, 2014, 124: 689-699.